

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	17773	((determin\$5 or detect\$5 or measur\$5 or calculat\$5 or monitor\$5 or inspect\$5) near9 (power or ((amount or output) near3 light))) with (fiber or cable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	11199	(adjust\$5 near7 (intensity near3 (laser or light ot emitter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	251	1 and 2 and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	212	(adjust\$5 near7 (intensity near3 (laser or light ot emitter))) with (feedback or (feed adj2 back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	5	1 and 4 and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	630	((determin\$5 or detect\$5 or measur\$5 or calculat\$5 or monitor\$5 or inspect\$5) near9 (power or ((amount or output) near3 light))) with (fiber near2 (cable or bundle or matrix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	0	6 and 4 and (fiber near3 adjacent) and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	1	6 and 4 and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	570	(adjust\$5 near7 (intensity near3 (laser or light ot emitter))) with (\$5detector or \$sesnor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	1	6 and 9 and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	593	(adjust\$5 near7 (intensity near3 (laser or light or emitter or source))) with (\$5detector or \$sesnor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	467	(adjust\$5 near7 (intensity near3 (laser or light or emitter or source))) near10 (\$5detector or \$sesnor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	17773	((determin\$5 or detect\$5 or measur\$5 or calculat\$5 or monitor\$5 or inspect\$5) near9 (power or ((amount or output) near3 light))) with (fiber or cable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	67527	(cross adj2 talk) or crosstalk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	972	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	5022	((determin\$5 or detect\$5 or measur\$5 or calculat\$5 or monitor\$5 or inspect\$5) near7 ((output near2 power) or ((amount or output) near3 light))) with (fiber or cable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	426	2 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	359	5 and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	228	6 and (\$5detector or \$5sesnor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L9	38	356/73.1.ccls. and (fluid and flow\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L10	98	356/73.1.ccls. and (fiber near3 adjacent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	2	6 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
14	BRS	L14	3	356/73.1.ccls. and 12 and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
15	BRS	L15	15	((cross adj2 talk) or crosstalk) and 12 and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
16	BRS	L16	11	"385"/\$.ccls. and 12 and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
17	BRS	L17	38	12 and probe and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
18	IS&R	L18	2	("20010030748").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
19	BRS	L19	0	(adjust\$5 near7 (intensity near3 (laser or light or emitter or source))) near10 (\$5detector or \$sesnor) and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
20	BRS	L20	1	(adjust\$5 near7 (intensity near3 (laser or light or emitter or source))) and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB